

Contents of *Aquaculture*, Volume 247

VOL. 247 NOS. 1–4

30 June 2005

Special Issue: Genetics in Aquaculture VIII

Preface

- R. Neira and N.F. Díaz (Santiago, Chile) 1

- Abstracts 3

Molecular Markers

- An AFLP-based approach for the identification of sex-linked markers in rainbow trout (*Oncorhynchus mykiss*)
A. Felip (Pullman, WA, USA), W.P. Young (Flagstaff, AZ, USA), P.A. Wheeler and G.H. Thorgaard (Pullman, WA, USA) 35
- Preliminary data on genetic variability and purity of common carp (*Cyprinus carpio* L.) strains kept at the live gene bank at Research Institute for Fisheries, Aquaculture and Irrigation (HAKI) Szarvas, Hungary
I. Lehoczy (Szarvas, Kaposvar, Hungary), Z. Jeney (Szarvas, Hungary), I. Magyary, C. Hancz (Kaposvar, Hungary) and K. Kohlmann (Berlin, Germany) 45
- Genetic diversity of wild and cultured populations of *Brycon opalinus* (Cuvier, 1819) (Characiforme, Characidae, Bryconinae) using microsatellites
R. Melon Barroso (Pullman, WA, USA), A.W.S. Hilsdorf (Mogi das Cruzes, Brazil), H.L.M. Moreira (Pelotas, Brazil), P.H. Cabello and Y.M. Traub-Cseko (Rio de Janeiro, Brazil) 51
- Identification of a dominant SCAR marker associated with colour traits in Coho salmon (*Oncorhynchus kisutch*)
C. Araneda, R. Neira and P. Iturra (Santiago, Chile) 67

Genes and Genome Mapping and Manipulations

- Genetic analysis of a development rate QTL in backcrosses of clonal rainbow trout, *Oncorhynchus mykiss*
K. Sundin, K.H. Brown, R.E. Drew (Pullman, WA, USA), K.M. Nichols (Seattle, WA, USA), P.A. Wheeler and G.H. Thorgaard (Pullman, WA, USA) 75
- Composite interval mapping reveals three QTL associated with pyloric caeca number in rainbow trout, *Oncorhynchus mykiss*
A.M. Zimmerman, P.A. Wheeler, S.S. Ristow and G.H. Thorgaard (Pullman, WA, USA) 85

Chromosomes and Chromosome Manipulations

- Chromosome loss in bi-parental progenies of tetraploid Pacific oyster *Crassostrea gigas*
H. McCombie, S. Lapéque, F. Cornette, C. Ledu and P. Boudry (La Tremblade, France) 97
- Gonad development, growth, survival and quality traits in triploids of the protandrous hermaphrodite gilthead seabream *Sparus aurata* (L.)
P. Haffray (Rennes, France), J.-S. Bruant (La Brée les Bains, France), J.-M. Facqueur (Gravelines, France) and A. Fostier (Rennes, France) 107
- Examination of larval malformations in African catfish *Clarias gariepinus* following fertilization with cryopreserved sperm
E. Miskolczi, S. Mihálffy, E.P. Várkonyi, B. Urbányi and Á. Horváth (Gödöllő, Hungary) 119

| | |
|---|-----|
| Relations between egg size, reproductive success and growth performance of progeny in isogenic <i>Oreochromis niloticus</i> lines A. Müller-Blecke (Göttingen, Germany) | 127 |
| Molecular and cytogenetic characterization of <i>Crassostrea angulata</i> chromosomes I. Cross, E. Díaz, I. Sánchez and L. Rebordinos (Cádiz, Spain) | 135 |
| Breeding and Quantitative Genetics | |
| Genetic variation in resistance of Atlantic salmon (<i>Salmo salar</i>) to the salmon louse <i>Lepeophtheirus salmonis</i> K. Kolstad (Ås, Norway), P.A. Heuch (Oslo, Norway), B. Gjerde, T. Gjedrem and R. Salte (Ås, Norway) | 145 |
| Efficient design for doing genetic studies of feed efficiency in Atlantic salmon (<i>Salmo salar</i>) K. Kolstad, T.H.E. Meuwissen and B. Gjerde (Ås, Norway) | 153 |
| Mass selection and inbreeding effects on a cultivated strain of <i>Penaeus (Litopenaeus) vannamei</i> in Venezuela M. De Donato (Estado Sucre, Venezuela), R. Manrique, R. Ramirez, L. Mayer and C. Howell (Caracas, Venezuela) | 159 |
| Selection for faster growth in the freshwater crayfish <i>Cherax destructor</i> D.R. Jerry, I.W. Purvis, L.R. Piper and C.A. Dennis (Armidale, NSW, Australia) | 169 |
| Genetic trends in growth, sexual maturity and skeletal deformations, and rate of inbreeding in a breeding programme for rainbow trout (<i>Oncorhynchus mykiss</i>) A. Kause (Jokioinen, Finland), O. Ritola, T. Paananen (Tervo, Finland), H. Wahlroos and E.A. Mäntysaari (Jokioinen, Finland) | 177 |
| Salinity tolerance in superior genotypes of tilapia, <i>Oreochromis niloticus</i> , <i>Oreochromis mossambicus</i> and their hybrids A.H.Md.M. Kamal (Pathumthani, Thailand) and G.C. Mair (Adelaide, SA, Australia) | 189 |
| Genetic parameters and response to selection for live weight in the GIFT strain of Nile Tilapia (<i>Oreochromis niloticus</i>) R.W. Ponzoni (Penang, Malaysia), A. Hamzah (Kedah, Malaysia), S. Tan and N. Kamaruzzaman (Penang, Malaysia) | 203 |
| Development of an Atlantic salmon (<i>Salmo salar</i>) genetic improvement program: Genetic parameters of harvest body weight and carcass quality traits estimated with animal models C.D. Quinton, I. McMillan (Guelph, Ont., Canada) and B.D. Glebe (St. Andrews, New Brunswick, Canada) | 211 |
| Natural and Cultivated Aquatic Genetic Resources | |
| Factors influencing effective population size in commercial populations of gilthead seabream, <i>Sparus aurata</i> R. Cameron Brown (Stirling, UK), J.A. Woolliams (Midlothian, UK) and B.J. McAndrew (Stirling, UK) | 219 |
| Geographical origin of individual breeders from gilthead sea bream (<i>Sparus auratus</i>) hatchery broodstocks inferred by microsatellite profiles S. De Innocentiis, E. Miggiano, A. Ungaro, S. Livi, L. Sola and D. Crosetti (Rome, Italy) | 227 |
| A genetic evaluation of stock enhancement of blue abalone <i>Haliotis fulgens</i> in Baja California, Mexico J.L. Gutierrez-Gonzalez and R. Perez-Enriquez (Baja California Sur, Mexico) | 233 |
| The relationship of the cryoprotectants methanol and dimethyl sulfoxide and hyperosmotic extenders on sperm cryopreservation of two North-American sturgeon species Á. Horváth (Ben Hur Road, LA, USA; Gödöllő, Hungary), W.R. Wayman (Warm Springs, GA, USA), B. Urbányi (Gödöllő, Hungary), K.M. Ware (Wadmalaw Island, SC, USA), J.C. Dean (Natchitoches, LA, USA) and T.R. Tiersch (Ben Hur Road, LA, USA) | 243 |
| Microsatellite-based genetic variability and differentiation of domesticated, wild and feral common carp (<i>Cyprinus carpio</i> L.) populations K. Kohlmann, P. Kersten (Berlin, Germany) and M. Flajshans (Vodňany, Czech Republic) | 253 |
| Detection of hybridization between Chinese carp species (<i>Hypophthalmichthys molitrix</i> and <i>Aristichthys nobilis</i>) in hatchery broodstock in Bangladesh, using DNA microsatellite loci M.Y. Mia (Mymensingh, Bangladesh), J.B. Taggart, A.E. Gilmour, A.A. Gheyas (Scotland, UK), T.K. Das (Dinajpur, Bangladesh), A.H.M. Kohinoor, M.A. Rahman (Mymensingh, Bangladesh), M.A. Sattar, M.G. Hussain, M.A. Mazid (Mymensingh, Bangladesh), D.J. Penman and B.J. McAndrew (Scotland, UK) | 267 |
| Communal larval rearing of European lobster (<i>Homarus gammarus</i>): Family identification by microsatellite DNA profiling and offspring fitness comparisons K.E. Jørstad (Bergen, Norway), P.A. Prodöhl (Belfast, N. Ireland), T.S. Kristiansen (Bergen, Norway), M. Hughes (Belfast, N. Ireland), E. Farestveit (Bergen, Norway), J.B. Taggart (Belfast, N. Ireland; Sterling, Scotland), A.-L. Agnalt (Bergen, Norway) and A. Ferguson (Belfast, N. Ireland) | 275 |
| Contents of Aquaculture, Volume 247 | 287 |

